



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/550,317	09/22/2005	Raphael Donati	125017	1201
25944	7590	09/20/2007		
OLIFF & BERRIDGE, PLC P.O. BOX 19928 ALEXANDRIA, VA 22320			EXAMINER NGUYEN, BAO THUY L	
			ART UNIT 1641	PAPER NUMBER
			MAIL DATE 09/20/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/550,317

Applicant(s)

DONATI ET AL.

Examiner

Bao-Thuy L. Nguyen

Art Unit

1641

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 September 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 14-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 14-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. The preliminary amendment dated 22 September 2005 has been received. Claims 1-13 have been canceled.
2. Claims 14-26 have been added and are pending.

Claim Rejections - 35 USC § 112

3. Claims 14-26 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The claims are generally narrative and indefinite, failing to conform with current U.S. practice. They appear to be a literal translation into English from a foreign document and are replete with grammatical and idiomatic errors.

Claims 14, 16 and 17 are also vague because they lack a correlation step. How is "the extend" of label observed in the detection zone related to the analyte? Is the amount of label observed directly or indirectly related to the analyte?

Claims 19 and 20 are vague. How does the capture reagent make it possible to detect analyte by means of a sandwich or a competitive assay?

Claim 24 is confusing with respect to the recitation of "the porous solid support being also provided with a first opening". The claimed porous solid support is recited as a porous membrane or test strip, therefore, it is unclear how such a test strip can be

provided with an opening. This recitation implies the that porous solid support is a housing or a container.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 14-26 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Eisinger et al (US 4,943,522).

Eisinger discloses a device and method for using the same in an immunoassay. The device comprising a porous solid support (i.e. bibulous material) having a sample contact area, a detection are and a liquid absorbent material. See column 4, lines 42-64. The label is any molecule bound to a specific binding member and can be an enzyme, a liposomes, or visible colored particles, etc. See column 5, lines 19-36. Eisinger teaches visible particles added to, or applied before or after, the sample and used for detection by being trapped in the indicator zone by the binding pair complex. See column 5, lines 37-48. Particularly, Eisinger discloses protocols comprising (1) analyte in the sample binds specifically to the member affixed to the indicator zone; a label is then added to detect the bound analyte, i.e. in a sandwich immunoassay; (2) the sample is spiked with a labeled form of analyte and the labeled form bound the member affixed in the

indicator zone is detected, i.e. a competition assay; (3) analyte carries with it the means of its own detection, or may first be reaction with label. The label-bearing analyte can then be bound specifically to the affixed member; and (4) detectable particles may be used to detect an unlabeled complex of analyte with binding pair member in the indicator zone. See column 8, lines 31-60. The device of Eisinger is disposed in a housing having means for observing the results. See column 10, line 51 through column 11, line 23. Eisinger also teaches that developer solutions or diluents, if required, is added after the sample and labels are added. See column 11, lines 24-48.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.


US 4,857,453, Ullman discloses a device and method for conducting an assay.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao-Thuy L. Nguyen whose telephone number is (571) 272-0824. The examiner can normally be reached on Tuesday -- Thursday from 9:00 a.m. - 3:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Bao-Thuy L. Nguyen
Primary Examiner
Art Unit 1641

9/5/07